

	Type	Hits	Search Text	DBs
1	IS&R	948	(438/411-412,421-422,619).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
2	BRS	632	S1 and @ad<"20000920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
3	BRS	208	S1 and @rlad<"20000920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
4	BRS	686	S2 S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
5	IS&R	3246	(257/522,758).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
6	BRS	1911	S5 and @ad<"20000920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
7	BRS	772	S5 and @rlad<"20000920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
8	BRS	2205	S6 S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
9	IS&R	948	(438/411-412,421-422,619).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
10	IS&R	0	("004not5").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
11	BRS	2142	S8 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
12	BRS	305	air and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
13	BRS	956058	cap\$4 and air	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
14	BRS	3969	(etch\$4 near15 cap\$4) and air	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
15	BRS	3209	(metal or conductive) and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
16	BRS	1493	(passivat\$3 or seal\$3) and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB

	Type	Hits	Search Text	DBs
17	BRS	892	(cavit\$3 or trench or void or hollow) and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
18	BRS	446	S17 and @ad<"20000920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
19	BRS	384	S17 and @rlad<"20000920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
20	BRS	616	S18 S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
21	IS&R	948	(438/411-412,421-422,619).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
22	IS&R	0	("008not9").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
23	BRS	610	S20 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
24	BRS	251768	air near15 (gap or void or hollow or cavity or trench or damascene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
25	BRS	148676	S24 and @ad<"20000920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
26	BRS	27832	S24 and @rlad<"20000920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
27	BRS	16220	(metal or conductive) and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
28	BRS	159194	air near3 (gap or void or hollow or cavity or trench or damascene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
29	BRS	93413	S28 and @ad<"20000920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
30	BRS	18534	S28 and @rlad<"20000920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
31	BRS	97873	S29 S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
32	BRS	37013	(metal or conductive) and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB

	Type	Hits	Search Text	DBs
33	BRS	44988	cap\$4 same dielectric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
34	BRS	2120	S28 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
35	BRS	893	S34 and @ad<"20000920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
36	BRS	413	S34 and @rlad<"20000920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
37	BRS	1014	S35 S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
38	BRS	976	S37 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
39	BRS	360	etch\$4 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
40	IS&R	2	("6184121").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB